


CLEANSE[®] PORTAL

FAR-UVC | SANITIZING ENTRY GATE



FEATURES

- Utilizes Far-UVC that sanitizes clothing and personal belongings.
- Entry way form factor is equipped with (5) Far-UVC modules.
- With arms raised, a slow 360 degree turn within the Portal frame reduces shadowing for more complete coverage. Consult User Guide for more detailed instructions.
- Motion-controlled option via built-in motion sensor can help preserve longevity of Far-UVC module during periods of inactivity.
- Universal input voltage, 85–264V AC with power consumption of 60W.
- Complies with ADA doorway width requirement and can be deployed as a free-standing structure or be bolted to the ground near any entrance or door.
- Made in USA and Trade Agreement Act (TAA) compliant, it is a qualified solution for government projects. Certificates of origin are available upon request.

SPECIFICATIONS *All data shown is nominal*

UV SANITIZATION SOURCE	
Wavelength	222 nm
Type	FAR-UVC Emitter
Quantity	Five (5)
Average Operational Life	>3000 Hrs
ELECTRICAL	
Input Voltage	85–264 V
Frequency	50/60 Hz
Power Consumption	60 W
Control Protocol	PIR Motion-Control
Control Options	Basic: Constant On Advanced: Motion-Controlled
MECHANICAL	
Housing	Aluminum frame, steel base
Finish	White
Exterior Dimensions	55.5 x 84.1 x 12.0 in
Interior Dimensions	35.6 x 76.9 x 8.8 in
Weight	250 lbs
Mounting	Free-standing or bolt to ground
CERTIFICATIONS & WARRANTY	
Environment	Complies with ADA requirement for doorway width
Warranty	3 Year Limited for Portal, 6 Month Limited for UVC Module



ORDERING

EXAMPLE: CLEANSE PORTAL

Family	Model	Part Number
CLEANSE	PORTAL	FG-09006

ACCESSORIES ORDERING

Part Number	Description
ACC-09002	Cleanse Portal UV Replacement Module

DIMENSIONS

